


DFN8 2x3mm 0.5mm - stencil

Units		MILLIMETERS		
Dimension Limit		MIN	NOM	MAX
Contact Pitch	E	0.50		
Contact Pad Spacing	C1		3.30	
Contact Pad Width	X1		0.30	
Contact Pad Length	Y1		0.65	
Distance Between Pads	G		0.20	



Stencil dimensions: 38mm x 28mm


Thickness: 100-127 μ m

Material: stainless steel or nickel silver

Manufacturing processes: lasering or chemical etching

DFN8 3x3mm 0.5mm - stencil

Units		MILLIMETERS		
Dimension Limit		MIN	NOM	MAX
Contact Pitch	E	0.50		
Contact Pad Spacing	C1		3.10	
Contact Pad Width	X1		0.20	
Contact Pad Length	Y1		0.40	
Distance Between Pads	G		0.30	



Stencil dimensions: 38mm x 28mm


Thickness: 100-127 μ m

Material: stainless steel or nickel silver

Manufacturing processes: lasering or chemical etching

DFN8 4x4mm 0.8mm - stencil

Units		MILLIMETERS		
Dimension Limit		MIN	NOM	MAX
Contact Pitch	E	0.80		
Contact Pad Spacing	C1		4.05	
Contact Pad Width	X1		0.35	
Contact Pad Length	Y1		0.75	
Distance Between Pads	G		0.45	



Stencil dimensions: 38mm x 28mm

Thickness: 100-127 μ m

Material: stainless steel or nickel silver

Manufacturing processes: lasering or chemical etching